

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	172	("ATKINS, BARRY" or "MELGAR, DAVID" or "NADALIN, ANTHONY" or "WESLEY, AJAMU")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 16:51
L2	32	l1 and ((authenticat\$3 or authoriz\$3 or validat\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L3	2	l2 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L4	72720	"INTERNATIONAL BUSINESS MACHINES CORPORATION"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:32
L5	2226	l4 and ((authenticat\$3 or authoriz\$3 or validat\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L6	2	l5 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L7	64067	((authenticat\$3 or authoriz\$3 or validat\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L8	2	l7 and ("remote" adj "trust" adj "proxy")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:33
L9	73	l7 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L10	1525	726/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:35
L11	666	l10 and ((authenticat\$3 or authoriz\$3 or validat\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39

## EAST Search History

L12	1	l11 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:36
L13	111	l11 and (("cross-domain" or "cross" near\$2 "domain") with (authenticat\$3 or authoriz\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39
L14	53	l13 and (((provid\$3 or request\$3 or pass\$3 or transmitt\$3 or send\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:39
L15	1	l14 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:40
L16	863	726/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:37
L17	522	l16 and ((authenticat\$3 or authoriz\$3 or validat\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46
L18	90	l17 and (("cross-domain" or "cross" near\$2 "domain") with (authenticat\$3 or authoriz\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46
L19	43	l18 and (((provid\$3 or request\$3 or pass\$3 or transmitt\$3 or send\$3) with (("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:47
L20	1	l19 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:47
L21	360	726/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:46

## EAST Search History

L22	140	I21 and ((authenticat\$3 or authoriz\$3 or validat\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L23	33	I22 and (("cross-domain" or "cross" near\$2 "domain") with (authenticat\$3 or authoriz\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L24	31	I23 and (((provid\$3 or request\$3 or pass\$3 or transmitt\$3 or send\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L25	0	I24 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:50
L26	477	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:49
L27	223	I26 and ((authenticat\$3 or authoriz\$3 or validat\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L28	44	I27 and (("cross-domain" or "cross" near\$2 "domain") with (authenticat\$3 or authoriz\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L29	18	I28 and (((provid\$3 or request\$3 or pass\$3 or transmitt\$3 or send\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L30	0	I29 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L31	202	726/18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:51

## EAST Search History

L32	87	I31 and ((authenticat\$3 or authoriz\$3 or validat\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L33	9	I32 and (("cross-domain" or "cross" near\$2 "domain") with (authenticat\$3 or authoriz\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L34	4	I33 and (((provid\$3 or request\$3 or pass\$3 or transmitt\$3 or send\$3) with ((("security" adj credential\$1) or "credential" or "identity" or "identification" or "ID")) with ("proxy" or "router" or "firewall" or "gateway"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52
L35	0	I34 and (("remote" adj "trust" adj "proxy") or ("remote" adj "proxy"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/27 17:52

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

using identification locate previously stored se

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)

## Patents

Patents 1 - 10 on using identification locate previously stored security credential. (0.25 seconds)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

### Technique for handling subsequent user identification and password requests ...

ened **security** requirements), and which require the sign-on process of obtaining ... and **using** the **stored** password or the generated password substitute to ...

### Multiple remote data access **security** mechanism for multitiered internet ...

US Pat. 6052785 - Filed Nov 21, 1997 - International Business Machines Corporation  
The **credential**, eg michael.cred and access drive the User ID and client Distinguished name 524 and used to information is **stored** as shown in the first row ...

### Technique for handling subsequent user **identification** and password requests ...

US Pat. 6934848 - Filed Jul 19, 2000 - International Business Machines Corporation  
Or, it may happen that different **security** credentials are required for a user when ... and **using** the **stored** password or the generated password substitute to ...

### Mechanism and apparatus for **using** messages to look up documents **stored** in ...

US Pat. 6643650 - Filed Sep 12, 2000 - Sun Microsystems, Inc.  
In one embodiment, a client may present a client **identification** token or **credential** to an authentication service. The client token or **credential** may be ...

### Technique for synchronizing **security** credentials **using** a trusted ...

US Pat. 6986039 - Filed Jul 11, 2000 - International Business Machines Corporation  
Here, a mapping is 55 **security** **credential** values (including **stored** password ... user's **previously**-existing distinct IDs are extracted from local registries, ...

### System and method for secure web server gateway access **using** **credential** ...

US Pat. 6067623 - Filed Nov 21, 1997 - International Business Machines Corp.  
In particular, it relates to the use according the secure socket layer (SSL) or secure hypertext of **security** **credential** transformation to enable access to w ...

### System for vending products and services **using** an **identification** card and ...

US Pat. 6854642 - Filed Oct 19, 2001 - Chesterfield Holdings, L.L.C.  
The machine accordingly dials a **stored** phone number to connect to the ...  
During initialization, Bob's **previously** created configuration 50 file is consulted ...

### Voice-messaging with attachments

US Pat. 7212614 - Filed Nov 9, 2001 - AT&T Corp  
The **identification** of the location of the attachment may be performed by any ...  
**using** a keypad, by choosing from a menu of documents **previously** stored by ...

### Providing end-to-end user authentication for host access **using** digital ...

US Pat. 6823452 - Filed Dec 17, 1999 - International Business Machines Corporation  
The RACF system extracts the user's **identification** from the subject field of the

client certificate, and uses this information to **locate** the user's **stored** ...

Mobile host **using** a virtual single account client and server system for ...

US Pat. 6971005 - Filed Oct 23, 2001 - AT&T Corp.

If the local authentication **credential** is a **security** certificate with known ...

As **previously** discussed, the new VSA password is generated **using** the common ...

Gooooooooogle ►

Result Page:    1 2 3 4 5 6    **Next**

using identification locate previously stored se	Search Patents
--	----------------

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

using identification locate previously stored se

[Search Patents](#)[Advanced Patent Search](#)  
[Google Patent Search Help](#)**Patents**Patents 11 - 20 on **using identification locate previously stored security credential**. (0.05 seconds)[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)**Secure transaction system and method utilized therein**

US Pat. 5267314 - Filed Nov 17, 1992

15B illustrates issuance of a **credential** according to the alternate embodiment ... since **using** an unsecured link would present a potential **security** problem. ...**Dual mode electronic identification system**

US Pat. 5317309 - Filed Sep 21, 1992 - Westinghouse Electric Corp.

IB is a diagrammatic representation of a **security** system **using** an **identification** tag as a beacon for position tracking in a wide **security** area. FIG. ...**Technique for synchronizing security credentials from a master directory ...**

US Pat. 6986038 - Filed Jul 11, 2000 - International Business Machines Corporation

Here, a mapping is 55 **security** **credential** values (including **stored** password ... user's **previously**-existing distinct IDs are extracted from local registries, ...**Method and apparatus to discover services using flexible search criteria**

US Pat. 6862594 - Filed Aug 31, 2000 - Sun Microsystems, Inc.

Access authorization may be determined during the **identification** and ... an authorization **credential** such as a digital signature or certificate may be ...**Method and apparatus for interfacing with a stateless network file system server**

US Pat. 6081807 - Filed Jun 13, 1997 - Compaq Computer Corporation

A file handle, as **previously** described, is a data structure that ... file system then attempts to **locate** a VNODE associated with the file **using** a hashing ...**Method and system for wireless voice channel/data channel integration**

US Pat. 7092370 - Filed Aug 16, 2001 - Roamware, Inc.

18 is a block diagram including a mid-level **security** single sign-on service 1810. Applications **using** the single sign-on service 1810 are concerned with user ...**Mobile host using a virtual single account client and server system for ...**

US Pat. 7069433 - Filed Oct 29, 2001 - AT&amp;T Corp.

If the local authentication **credential** is a **security** certificate with known ... As **previously** discussed, the new VSA password is generated **using** the common ...**Integrated system for network layer security and fine-grained identity-based ...**

US Pat. 6986061 - Filed Nov 20, 2000 - International Business Machines Corporation

Incoming packets are then compared to the **stored** **security** 55 policy information. ... **previously**-stored privileges or credentials of that authenticated user. ...**System and method for remote identification of coded articles and the like**

US Pat. 5502445 - Filed May 22, 1995 - David Sarnoff Research Center, Inc.

These combined objectives have not **previously** been met. ... The target, **using**


internally **stored** electric power derived from the auxiliary energizing field, ...

Addressing message gates in a distributed computing environment

US Pat. 6789126 - Filed Oct 19, 2000 - Sun Microsystems, Inc.

a binding process (eg for a URI or **credential**) performed at runtime. ...

executing within the same device may **locate** and use a particular gate repeatedly. ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

using identification locate previously stored security credential - Google Patents

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google